

# DIRECT VENT GAS FIREPLACE INSERTS





# Convert a drafty, wood-burning fireplace into an efficient, beautiful focal point.

**Install a Majestic gas fireplace insert in just three easy steps.**




Ruby 35" with Contemporary Arch front and surround in New Bronze with Tavern Brown interior.

## 1 STEP ONE: Measure your existing fireplace opening and choose your insert

The height, width and depth of the existing fireplace opening is needed to ensure an appropriately sized insert is selected.


- A. Fireplace front width \_\_\_\_\_
- B. Fireplace front height \_\_\_\_\_
- C. Fireplace back width \_\_\_\_\_
- D. Fireplace depth \_\_\_\_\_
- E. Hearth to mantel height \_\_\_\_\_




## 2 STEP TWO: Select your surround and front

A surround fills the gap between the fireplace insert and existing fireplace opening. Choose from three sizes and two finishes for a unique look.

Personalize your insert with a front that fits your style. Select from three styles and two finishes.



### Front and Surround Finishes



## 3 STEP THREE: Select your options to customize your insert

Choose from our collection of interior panels, contemporary conversion kits and interior media to put the finishing touches on your insert.

| SURROUND SIZE | TRILLIANT & RUBY 35IN | TRILLIANT, RUBY & JASPER 30IN | TRILLIANT & RUBY 25IN |
|---------------|-----------------------|-------------------------------|-----------------------|
| Small         | 42" x 29"             | 40" x 27"                     | 35" x 23"             |
| Medium        | 44" x 32"             | 42" x 30"                     | 37" x 26"             |
| Large         | 48" x 32"             | 44" x 32"                     | 39" x 28"             |

Cover: Ruby 30 with Clean Screen front and surround in black, and reflective black glass interior.



# TRILLIANT

Best

Our top-end Trilliant is fully loaded with everything you want in a gas fireplace insert, including a fan and heat exchanger to warm your space more quickly, Canyon Brown interior panels, and gorgeous accent lights for a relaxing ambiance.

## Standard Features

- 25", 30", 35" viewing areas
- Up to 35,000 BTUs
- Steel tube heat exchangers
- Canyon brown interior panels
- Accent lights
- IntelliFire Touch® ignition system
- RC400 Touchscreen remote
- Ceramic glass
- Ceramic fiber logs
- Fan

## Optional Features

- Reflective black glass
- IntelliFire® app
- Wireless wall switch



Trilliant 35 shown with Tuscan Arch front and surround in black, with reflective black glass interior.

## Fronts



Forged Arch Front  
(Black only)



Mission Fullview  
(Black and New Bronze)



Tuscan Arch  
(Black and New Bronze)




Clean Screen Front  
(Black and New Bronze)




Inside Fit Front  
(Black only)

## Interior Panels



Canyon Brown (standard)



Reflective Black Glass (optional)

## Accent Lights



Accent Lighting (standard)

## Efficient Heat



Steel tube heat exchangers and variable speed fan drive hot air into the home quicker, producing fast, efficient heat (standard)



# RUBY

Better

The Ruby offers you an a la carte approach to designing your dream gas fireplace insert, where you pay only for the features you want. Pick optional interior panels, accent lights and more to create your sanctuary room.

## Standard Features

- 25", 30", 35" viewing areas
- Up to 35,000 BTUs
- IntelliFire Touch ignition system
- RC400 Touchscreen remote
- Ceramic glass
- Ceramic fiber split logs
- Fan


## Optional Features

- Tavern brown interior panels
- Cottage red interior panels
- Reflective black glass
- Accent lights
- IntelliFire app
- Wireless wall switch



Ruby 25 shown with Inside Fit front and trimable custom surround in black.

## Fronts



Contemporary Arch Front  
(Black and New Bronze)



Clean Screen Front  
(Black and New Bronze)



Inside Fit Front  
(Black only)

## Interior Panels



Tavern Brown (optional)



Cottage Red (optional)




Reflective Black Glass (optional)

## Accent Lights



Accent Lighting (optional)





Ruby 30 shown with contemporary conversion kit, Clean Screen front and surround in black, with black reflective glass interior and driftwood logs

**For a more modern aesthetic,** the Contemporary Ruby gas fireplace insert offers a choice of additional glass, stone and driftwood log options in an easy conversion kit to refresh your space and fit your vibe.

#### Standard Features

- 30", 35" viewing areas
- Up to 35,000 BTUs
- Diamond glass
- Onyx glass
- IntelliFire Touch ignition system
- RC400 Touchscreen remote
- Ceramic glass
- Fan

#### Optional Features

- Driftwood logs
- Sapphire glass
- Bronze glass
- Stone kit

The Contemporary Conversion Kit comes standard with diamond and onyx glass.

Once you add the kit, you can change the look with additional glass, stone, or driftwood log options.


#### Media



Diamond Glass  
(standard)



Sapphire Glass  
(optional)



Bronze Glass  
(optional)



Onyx Glass  
(standard)



Stone Kit  
(optional)

#### Logs



Driftwood Logs (optional)



# JASPER

Good

The Jasper gives you the same quality and 70% heating efficiency in our most affordable gas fireplace insert. It makes your home more welcoming with hand-painted split logs, adjustable flames, and optional remote and fan.

### Standard Features

- 30" viewing area
- Up to 32,700 BTUs
- IntelliFire ignition system
- Ceramic glass
- Ceramic fiber split logs


### Optional Features

- Tavern brown interior panels
- Cottage red interior panels
- Smart remote
- Wireless wall switch
- Fan



Jasper 30 shown with Clean Screen front and surround in black and Cottage Red interior.

### Fronts



Contemporary Arch Front  
(Black and New Bronze)



Clean Screen Front  
(Black and New Bronze)



Inside Fit Front  
(Black only)

### Interior Panels



Tavern Brown (optional)



Cottage Red (optional)

## Technologies

### Direct Vent Technology

Direct Vent gas inserts remove 100% of combustion exhaust and fumes to the outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.

### Trilliant Series

#### Efficient Heat

Trilliant's steel tube heat exchangers and the variable speed fan drive hotter air into the home faster.

### Trilliant and Ruby Series

#### IntelliFire Touch Ignition System

IntelliFire Touch is our most advanced intermittent-pilot ignition (IP) system, making operating your appliance simple, smart and safe. Select from the IntelliFire app, touchscreen remote or wireless wall switch for the solution that fits your life.


### Jasper

#### IntelliFire Ignition System

IntelliFire features intermittent-pilot ignition (IPI) allowing you to conserve fuel and money when the fireplace is not in use.

## Technical Specifications

| MODEL         | FRONT WIDTH (A)    |                     | BACK WIDTH (B)     |                    | HEIGHT (C)         |                     | DEPTH (D)          |                     | VIEWING AREA (E X F)                   | BTU/HR INPUT |
|---------------|--------------------|---------------------|--------------------|--------------------|--------------------|---------------------|--------------------|---------------------|----------------------------------------|--------------|
|               | UNIT               | MIN FIREBOX OPENING | UNIT               | MIN. OPEN          | UNIT               | MIN FIREBOX OPENING | UNIT               | MIN FIREBOX OPENING |                                        |              |
| TRILLIANT25IN | 26-1/8"<br>(664mm) | 26-5/8"<br>(676mm)  | 14-5/8"<br>(372mm) | 15-1/8"<br>(384mm) | 17-1/6"<br>(433mm) | 17-5/16"<br>(439mm) | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 22-1/2" x 12-7/16"<br>(572mm x 316mm)  | 27,000       |
| TRILLIANT30IN | 31-1/8"<br>(791mm) | 31-5/8"<br>(803mm)  | 19-5/8"<br>(499mm) | 20-1/8"<br>(511mm) | 20-3/4"<br>(527mm) | 21"<br>(533mm)      | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 27-1/2" x 15-15/16"<br>(699mm x 405mm) | 32,700       |
| TRILLIANT35IN | 36-1/8"<br>(918mm) | 36-5/8"<br>(930mm)  | 24-5/8"<br>(626mm) | 25-1/8"<br>(638mm) | 24"<br>(610mm)     | 24-1/4"<br>(616mm)  | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 32-1/2" x 19-3/8"<br>(826mm x 492mm)   | 35,000       |
| RUBY25IN      | 26-1/8"<br>(664mm) | 26-5/8"<br>(676mm)  | 14-5/8"<br>(372mm) | 15-1/8"<br>(384mm) | 17-1/6"<br>(433mm) | 17-5/16"<br>(439mm) | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 22-1/2" x 12-7/16"<br>(572mm x 316mm)  | 27,000       |
| RUBY30IN      | 31-1/8"<br>(791mm) | 31-5/8"<br>(803mm)  | 19-5/8"<br>(499mm) | 20-1/8"<br>(511mm) | 20-3/4"<br>(527mm) | 21"<br>(533mm)      | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 27-1/2" X 15-15/16"<br>(699mm X 405mm) | 32,700       |
| RUBY35IN      | 36-1/8"<br>(918mm) | 36-5/8"<br>(930mm)  | 24-5/8"<br>(626mm) | 25-1/8"<br>(638mm) | 24"<br>(610mm)     | 24-1/4"<br>(616mm)  | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 32-1/2" X 19-3/8"<br>(826mm X 492mm)   | 35,000       |
| JASPER30IN    | 31-1/8"<br>(791mm) | 31-5/8"<br>(803mm)  | 19-5/8"<br>(499mm) | 20-1/8"<br>(511mm) | 20-3/4"<br>(527mm) | 21"<br>(533mm)      | 14-1/2"<br>(368mm) | 15"<br>(381mm)      | 27-1/2" X 15-15/16"<br>(699mm X 405mm) | 30,000       |



Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. NOTE: Combustible material should not cover the face. Refer to installation manual for detailed specifications on installing this product. Hearth & Home Technologies® reserves the right to update units periodically. Actual product appearance, including flame, may differ from product images.

### EnerGuide (CSA P.4.1-15) Ratings

Used in Canada and some U.S. states to measure annual fireplace efficiency.

| TRILLIANT25IN        | TRILLIANT30IN        | TRILLIANT35IN        | RUBY25IN             | RUBY30IN             | RUBY35IN             | JASPER30IN           |
|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| 68% (NG)<br>66% (LP) | 71% (NG)<br>71% (LP) | 72% (NG)<br>71% (LP) | 68% (NG)<br>66% (LP) | 71% (NG)<br>71% (LP) | 72% (NG)<br>71% (LP) | 68% (NG)<br>70% (LP) |

### Trilliant and Ruby Controls


#### IntelliFire app

All the features of a remote control with an app installed on your smart device. Monitor your fire from anywhere or even control it with the sound of your voice. IntelliFire is compatible with voice assistants Amazon Alexa and Google Assistant.



#### Touchscreen Remote

Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, power vent, wall docking station (fan, lights and power vent are dependent on your fireplace).



#### Wireless Wall Switch

Features: on/off, battery strength indicator, cold climate mode.



### Jasper Control

#### SmartRemote (optional)

An added level of function and convenience in a remote control, with timer mode, thermostat mode, room temperature readout, on/off.



Learn More





### Gas Insert Comparison

| Majestic Gas Insert Comparison Chart | Trilliant     | Ruby          | Jasper    |
|--------------------------------------|---------------|---------------|-----------|
| Sizes                                | 25", 30", 35" | 25", 30", 35" | 30"       |
| Efficiency                           | Up to 72%     | Up to 72%     | Up to 70% |
| Interior panel choices               | 2 Designs     | 3 Designs     | 2 Designs |
| Front choices                        | 5 Designs     | 3 Designs     | 3 Designs |
| Lights                               | Standard*     | Optional*     | N/A       |
| Adjustable flames                    | Standard      | Standard      | Standard  |
| Fan                                  | Standard      | Standard      | Optional  |
| Heat Exchanger                       | Standard      | N/A           | N/A       |
| Remote control                       | Standard      | Standard      | Optional  |
| Battery backup                       | Standard      | Standard      | Standard  |
| IntelliFire app and voice control    | Optional      | Optional      | N/A       |

\*Available on 30" and 35" only

### Termination Caps

A termination cap finishes your gas insert with a clean, upscale look. These durable caps also protect venting components and ensure safe exhaust flow.



Round Termination Cap



Square Termination Cap  
(available in Black or Copper finish)



### Our Sustainability Story

Our history of leadership in the hearth industry compels us to now lead the way in developing manufacturing practices that ensure our planet remains as durable, beautiful and long-lasting as our products. Find out how we are leading the industry in sustainable practices by scanning the code.

Your Majestic Dealer:

### Limited Lifetime Warranty<sup>3</sup>

The strongest in the industry, Majestic provides a limited lifetime warranty on the most important aspects of our gas-burning products: firebox and heat exchanger.

1 Order a conversion kit when using LP. 2 Refer to installation manual for zero clearance install guidelines. 3 For full warranty details go to majesticproducts.com. The information provided in this literature is for planning purposes only and subject to change. Please consult the installation manual for actual installation. Actual product appearance may differ from product images. Fireplace, stove and insert surfaces get extremely HOT and can cause severe burns if touched. Keep a safe distance away. To learn more visit [www.majesticproducts.com](http://www.majesticproducts.com). ©2023 Hearth & Home Technologies® Google and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



MAJ-1031U-0324



[majesticproducts.com](http://majesticproducts.com)  
[majesticfireplaces.ca](http://majesticfireplaces.ca)